



Designed for Distinction



Welcome to Arivo (ah-RYE-voh)

Arivo was born from the desire to maximize the first impression zone of architecture: the entrance.

By preserving architectural intent through thoughtfully integrating technology within a sleekly designed stanchion, Arivo helps create an elegant and welcoming experience that balances form, function, and design.

Arivo, a superior way to welcome your guests.

Designed in Partnership with leading industry experts:






Intelligent Design

Arivo is a flexible stanchion system that allows easy, fully integrated configurations of access control devices.

Integrated technologies are recessed and thoughtfully arranged behind a common faceplate, unifying multiple devices and creating a cohesive design that supports the surrounding architecture.


The cast and extruded aluminum body is seamlessly connected with no visible fasteners, yet remains serviceable through the removable faceplate.

As technology evolves, Arivo can evolve with it, requiring only a new faceplate if a new device arrangement is needed.



Highly Configurable

Arivo is designed to adapt to the needs of each project. With a choice of stanchion heights and support for a wide range of access control technologies, device arrangements can be tailored to accommodate the desired functionality while maintaining a cohesive design. Custom options are also available.





Path light module: Path lighting that offers wayfinding and welcome at every entrance.

Technology in Harmony

Choose your technology while maintaining a cohesive and thoughtful design.



ADA Access Devices



Camera




Card Reader



Intercom



Combination Units



Charging Access



Your World of Access Control

Arivo is designed to accommodate your device choices. Find compatible and certified access control devices on our Technology Partner page: pedestalpro.com/oem


A Finishing Touch

Continue the architectural story through finish selection. Arivo is available in four standard colorways, with additional custom powder coat finishes available to complement your design.




An Anchored Choice

Two mounting options accommodate a variety of site conditions, helping ensure a secure and stable installation for virtually any project.



Poured Concrete
L-Bolt
Part: L-Bolt-625



Existing Concrete
Wedge anchors
Part: Stud-Anchor-625



Vision Brought to Life

Great vision deserves thoughtful execution. Bringing that vision to life is a collaborative process, one that relies on expertise, coordination, and a shared commitment to the details that shape the final result. From early planning and technology selection through production and installation, we help ensure your vision is carried through every stage of the process.



- ### Envision

Define project goals and design intent.
- ### Configure

Choose the pedestal design, finish, and mounting solution.
- ### Integrate

Select the access control devices and technologies needed.
- ### Document

Review detailed drawings and specifications.
- ### Implement

Production, delivery, and installation support.
- ### Adapt


Updated technologies as needs evolve.



Designed for Distinction

Every project is unique. With flexible configurations, integrated technologies, and a range of finish options, Arivo can be tailored to complement a variety of architectural environments. Thoughtful integration helps preserve design intent while creating a welcoming first impression.

Specify Arivo. Detailed specifications, drawings, and configuration support are available at pedestalpro.com/studio/arivo



pedestalpro.com/arivo
info@pedestalpro.com
800-660-3072



Printed in the USA. Patent pending and/or patent www.assaabloydss.com/patents. Pedestal PRO is a brand associated with Hanchett Entry Systems, Inc., an ASSA ABLOY Group company. Copyright © 2026, Hanchett Entry Systems, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of Hanchett Entry Systems, Inc. is prohibited. PPRO-005-1026